# THEORETICAL AND APPLIED GENETICS

Vol. 72 1986

International Journal of Breeding Research and Cell Genetics

**Editorial Board**

Managing Editor: H. F. Linskens, Nijmegen

L. Alföldi, Szeged
J. S. F. Barker, Armidale
E. J. Eisen, Raleigh, NC
Y. Y. Gleba, Kiev
R. Hagemann, Halle/S.
A. R. Hallauer, Ames, IA
Hu Han, Peking
A. L. Kahler, Slater, IA
G. S. Khush, Manila
J. Mac Key, Uppsala
P. Maliga, Oakland, Calif
F. Mechelke, Stuttgart
G. Melchers, Tübingen
B. R. Murty, New Delhi
P. L. Pfahler, Gainesville, Fla
I. Portrykus, Basel
R. Riley, F. R. S., Cambridge, UK
A. Robertson, F. R. S., Edinburgh
F. Salamini, Köln-Vogelsang
K. Sittmann, Montreal
H. Stubbe, Gatersleben
P. M. A. Tigerstedt, Helsinki
K. Tsunewaki, Kyoto
L. D. Van Vleck, Ithaca, NY
G. Wenzel, Grünbach

Springer International

International Journal of Breeding Research and Cell Genetics

Founded in 1929 under the title 'Der Züchter' as a German journal for theoretical and applied genetics; changed from a national journal devoted almost exclusively to plant breeding to an international periodical for genetics and breeding research under the same title 'Der Züchter' in 1966; in 1968 to 'Theoretical and Applied Genetics'; edited by H. Stubbe from 1946 to 1976

---

**Copyright**

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

*Special regulations for photocopies in the USA*

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $ 0.20 per page, or a minimum of US $ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

*Other regulations*

Authors publishing in this journal can, under certain conditions, benefit from library and photocopy fees collected by VG WORT. Authors of German nationality or resident in the Federal Republic of Germany or Berlin (West), as well as citizens of Austria, Switzerland and member countries of the European Community, may apply to Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestraße 49, D-8000 München 2, for detailed information.

Printed in Germany – © Springer-Verlag Berlin Heidelberg 1986 · Springer-Verlag GmbH & Co. KG, D-1000 Berlin 33 · Printers: Graphischer Betrieb Konrad Triltsch, D-8700 Würzburg

# Table of Contents


Abe, T.; Futsuhara, Y.: Genotypic variability for callus formation and plant regeneration in rice (*Oryza sativa* L.) 3
Ainsworth, C. C.; Miller, T. E.; Gale, M. D.: The genetic control of grain esterases in hexaploid wheat. 2. Homoeologous loci in related species 219
Alexandrov, A. A.: see Negruk, V. I. et al., 541
Allan, R. E.: see McMillin, D. E. et al., 743
Allison, M. J.: see Powell, W. et al., 619
Altosaar, I.: see Bartels, D. et al., 845
Aniel Kumar, O.: see Panda, R. C. et al., 665
Asher, M. J. C.: see Powell, W. et al., 619
Asins, M. J.; Carbonell, E. A.: A comparative study on variability and phylogeny of *Triticum* species. 1. Intraspecific variability 551
Asins, M. J.; Carbonell, E. A.: A comparative study on variability and phylogeny of *Triticum* species. 2. Interspecific relationships 559
Avtalion, R. R.: see Don, J., 186
Ayyagari, V.: see Venkatramaiah, A. et al., 129

Badaev, N. S.: see Badaeva, E. D. et al., 518
Badaeva, E. D.; Badaev, N. S.; Bolsheva, N. L.; Zelenin, A. V.: Chromosome alterations in the karyotype of triticale in comparison with the parental forms. 1. Heterochromatic regions of R genome chromosomes 518
Baldauf, F.: see Metzlaff, M. et al., 207
Barber, D.: see Sanchez-Monge, R. et al., 108
Barker, R. F.: see Bartels, D. et al., 845
Barsby, T. L.: see Kemble, R. J. et al., 787
Bartels, D.; Altosaar, I.; Harberd, N. P.; Barker, R. F.; Thompson, R. D.: Molecular analysis of γ-gliadin gene families at the complex *Gli-1* locus of bread wheat (*T. aestivum* L.) 845
Barwale, U. B.; Meyer, M. M., Jr.; Widholm, J. M.: Screening of *Glycine max* and *Glycine soja* genotypes for multiple shoot formation at the cotyledonary node 423
Baumgartner, J.; Ezzat, I. E.; Končeková, Z.: An attempt at genetic transformation in chickens through cock sperm irradiation 264
Baus, A. D.; Franzmann, L.; Meinke, D. W.: Growth in vitro of arrested embryos from lethal mutants of *Arabidopsis thaliana* 577
Belyaev, D. K.: see Ruvinsky, A. O. et al., 811
Benito, C.: see Figueiras, A. M. et al., 826
Bernatzky, R.; Tanksley, S. D.: Genetics of actin-related sequences in tomato 314
Beversdorf, W.: see Erickson, L. et al., 145, 151
Bhullar, G. S.: see Singh, G. et al., 536
Binelli, G.: see Sari Gorla, M. et al., 42
Bingham, E. T.: see Veronesi, F. et al., 37
Bliss, F. A.: see Romero Andreas, J. et al., 123
Blum, A.: see Mansur-Vergara, L. et al., 296
Bolsheva, N. L.: see Badaeva, E. D. et al., 518
Bonnett, H. T.: see Glimelius, K., 794
Borrino, E. M.: see Powell, W. et al., 619
Bourgin, J. P.; Missonier, C.; Goujaud, J.: Direct selection of cybrids by streptomycin and valine resistance in tobacco 11
Breiman, A.: see Vardi, A. et al., 569
Burger, G.: see Chourrout, D. et al., 193
Butenko, R. G.: see Negruk, V. I. et al., 541

Cahaner, A.: see Elkind, Y., 377
Caligari, P. D. S.: see Powell, W. et al., 458
Cameron, N. D.; Thompson, R.: Design of multivariate selection experiments to estimate genetic parameters 466
Cappadocia, M.; Cheng, D. S. K.; Ludlum-Simonette, R.: Self-compatibility in doubled haploids and their $F_1$ hybrids, regenerated via anther culture in self-incompatible *Solanum chacoense* Bitt. 66
Carbonell, E. A.: see Asins, M. J., 551, 559
Caruso, J. L.; Franco, P. I.; Snider, J. A.; Pence, V. C.; Hangarter, R. P.: Evidence for a revertant at the *La* locus in regenerating hypocotyl segments in tomato 240
Cheng, D. S. K.: see Cappadocia, M. et al., 66
Cherny, D. I.: see Negruk, V. I. et al., 541
Chevassus, B.: see Chourrout, D. et al., 193
Choudhuri, D.: see Venkatramaiah, A. et al., 129
Chourrout, D.: Techniques of chromosome manipulation in rainbow trout: a new evaluation with karyology 627
Chourrout, D.: Use of grayling sperm (*Thymallus thymallus*) as a marker for the production of gynogenetic rainbow trout (*Salmo gairdneri*) 633
Chourrout, D.; Chevassus, B.; Krieg, F.; Happe, A.; Burger, G.; Renard, P.: Production of second generation triploid and tetraploid rainbow trout by mating tetraploid males and diploid females – Potential of tetraploid fish 193
Clark, E.; Schnabelrauch, L.; Hanson, M. R.; Sink, K. C.: Differential fate of plastid and mitochondrial genomes in *Petunia* somatic hybrids 748
Cockerham, C.C.: see Wright, A. J., 689
Conkle, M. T.: see Strauss, S. H., 483
Cox, D. J.: see Gupta, S. C. et al., 756
Cregan, P. B.; Yaklich, R. W.: Dry matter and nitrogen accumulation and partitioning in selected soybean genotypes of different derivation 782
Cubero, J. I.: see Suso, M. J., 364
Cullum, J.: see Metzlaff, M. et al., 207

Dahiya, B. N.; Singh, V. P.: Comparison of single seed descent, selective intermating and mass selection for seed size in greengram (*Vigna radiata* (L.) Wilczek) 678
Davies, P. A.; Pallotta, M. A.; Ryan, S. A.; Scowcroft, W. R.; Larkin, P. J.: Somaclonal variation in wheat: genetic and cytogenetic characterisation of alcohol dehydrogenase 1 mutants 644
De Brouwer, D.: see Negrutiu, I. et al., 279
Desborough, S. L.: see Smith, J. A., 346
Dhaliwal, H. S.; Sharma, S. K.; Multani, D. S.; Randhawa, A. S.: Genetics of yellow berry in wheat (*Triticum aestivum*) 548
Di Fonzo, N. D.: see Manzocchi, L. et al., 778
Dirks, R.: see Negrutiu, I. et al., 279
Don, J.; Avtalion, R. R.: The induction of triploidy in *Oreochromis aureus* by heat shock 186
Dormling, I.: see Norell, L. et al., 440
Doyle, G. G.: Aneuploidy and inbreeding depression in random mating and self-fertilizing autotetraploid populations 799
Dujardin, M.; Hanna, W.: An apomictic polyhaploid obtained from a pearl millet × *Pennisetum squamulatum* apomictic interspecific hybrid 33
Dumanskaya, N. N.: see Negruk, V. I. et al., 541
Dunwell, J. M.: see Powell, W. et al., 458, 619

Eagles, C. F.: see Paul, N. K. et al., 706
Eapen, S.; Gill, R.: Regeneration of plants from cultured root explants of mothbean (*Vigna aconitifolia* L. Jacq. Marechal) 384
Edwards, M. D.: see Wendel, J. F. et al., 178
Eisner, G. I.: see Negruk, V. I. et al., 541
Ekberg, I.: see Norell, L. et al., 440
Elkind, Y.; Cahaner, A.: A mixed model for the effects of single gene, polygenes and their interaction on quantitative traits. 1. The model and experimental design 377
Ellis, T. H. N.: Restriction fragment length polymorphism markers in relation to quantitative characters (Short Communication) 1
Epstein, E.: see Vardi, A. et al., 569
Erickson, L.; Grant, I.; Beversdorf, W.: Cytoplasmic male sterility in rapeseed (*Brassica napus* L.). 1. Restriction patterns of chloroplast and mitochondrial DNA 145
Erickson, L.; Grant, I.; Beversdorf, W.: Cytoplasmic male sterility in rapeseed (*Brassica napus* L.). 2. The role of a mitochondrial plasmid 151
Eriksson, G.: see Norell, L. et al., 440
Eriksson, T.: see Steffen, A. et al., 135
Ezzat, I. E.: see Baumgartner, J. et al., 264

Fedak, G.: see Gupta, P. K., 816
Feierabend, J.: see Kurzok, H.-G., 359
Feldmann, K. A.: see Wang, X.-M. et al., 328
Fernando, R. L.; Gianola, D.: Effect of assortative mating on genetic change due to selection 395
Fernando, R. L.; Gianola, D.: Optimal properties of the conditional mean as a selection criterion 822
Ferwerda, M. A.: see Pijnacker, L. P. et al., 833
Figueiras, A. M.; González-Jaén, M. T.; Benito, C.: Biochemical evidence of homoeology between *Triticum aestivum* and *Agropyron intermedium* chromosomes 826
Fish, N.; Karp, A.: Improvements in regeneration from protoplasts of potato and studies on chromosome stability. 1. The effect of initial culture media 405
Franco, P. I.: see Caruso, J. L. et al., 240
Franzmann, L.: see Baus, A. D. et al., 577
Frey, K. J.: see Gupta, S. C. et al., 756
Frova, C.: see Sari Gorla, M. et al., 42
Fukui, K.: Standardization of karyotyping plant chromosomes by a newly developed chromosome image analyzing system (CHIAS) 27
Fukui, K.: see Mathias, R. J. et al., 70
Futsuhara, Y.: see Abe, T., 3

Gale, M. D.: see Ainsworth, C. C. et al., 219
Galun, E.: see Green, R. M. et al., 170
García-Olmedo, F.: see Sanchez-Monge, R. et al., 108
Gardner, C. O.: see Kahler, A. L. et al., 592
Gavazzi, G.: see Manzocchi, L. et al., 778
Gawel, N. J.; Robacker, C. D.: Effect of pollen-style interaction on the pollen tube growth of *Gossypium hirsutum* 84
Geiger, H. H.: see Melchinger, A. E. et al., 231
Geiger, H. H.: see Tudzynski, P. et al., 695
Gerechter-Amitai, Z. K.: see Mansur-Vergara, L. et al., 296
Gianola, D.: On selection criteria and estimation of parameters when the variance is heterogeneous 671
Gianola, D.: see Fernando, R. L., 395, 822
Gianola, D.: see Mwenya, W. N. M. et al., 388
Gill, K. S.: see Singh, G. et al., 536
Gill, R.: see Eapen, S., 384
Glimelius, K.; Bonnett, H. T.: *Nicotiana* cybrids with *Petunia* chloroplasts 794
Glock, H.; Gregorius, H.-R.: Genotype – environment interaction in tissue cultures of birch 477
González-Jaén, M. T.: see Figueiras, A. M. et al., 826
Goodman, M. M.: see Wendel, J. F. et al., 178
Goujaud, J.: see Bourgin, J. P. et al., 11
Grama, A.: see Mansur-Vergara, L. et al., 296
Grant, I.: see Erickson, L. et al., 145, 151
Green, A. G.: Genetic control of polyunsaturated fatty acid biosynthesis in flax (*Linum usitatissimum*) seed oil 654
Green, R. M.; Vardi, A.; Galun, E.: The plastome of *Citrus*. Physical map, variation among *Citrus* cultivars and species and comparison with related genera 170
Gregorius, H.-R.; Namkoong, G.: Joint analysis of genotypic and environmental effects 413
Gregorius, H.-R.: see Glock, H., 477
Griffiths, D. W.: see Powell, W. et al., 619
Grossman, M.: see Mwenya, W. N. M. et al., 388
Gupta, P. K.; Fedak, G.: Analysis of the effect of rye chromosomes 4R, 6R and telomeric heterochromatin on 7R on homologous chromosome pairing in pentaploid hybrids (AABBR, AABBD) 816
Gupta, S. C.; Cox, D. J.; Frey, K. J.: Association of two measures of vegetative growth rate with other traits in inter and intraspecific matings of oats 756
Guries, R. P.: see O'Malley, D. M. et al., 530
Gusmão, L.: Inadequacy of blocking in cultivar yield trials 98

Hahne, B.; Hoffmann, F.: Cytogenetics of protoplast cultures of *Brachycome dichromosomatica* and *Crepis capillaris* and regeneration of plants 244
Hallauer, A. R.: see Kahler, A. L. et al., 592
Hangarter, R. P.: see Caruso, J. L. et al., 240
Hanna, W.: see Dujardin, M., 33
Hanson, M. R.: see Clark, E. et al., 748
Hanson, M. R.: see O'Connell, M. A., 59
Happe, A.: see Chourrout, D. et al., 193
Harada, H.: see Wei, Z. M. et al., 252
Harberd, N. P.: see Bartels, D. et al., 845
Hasegawa, H.; Mori, S.: Non-proline-accumulating rice mutants resistant to hydroxy-L-proline 226
Helentjaris, T.; Slocum, M.; Wright, S.; Schaefer, A.; Nienhuis, J.: Construction of genetic linkage maps in maize and tomato using restriction fragment length polymorphisms 761
Hickok, L. G.; Schwarz, O. J.: An in vitro whole plant selection system: paraquat tolerant mutants in the fern *Ceratopteris* 302
Hirai, A.: see Ichikawa, H. et al., 353
Hoffmann, F.: see Hahne, B., 244
Hosaka, K.: Who is the mother of the potato? – restriction endonuclease analysis of chloroplast DNA of cultivated potatoes 606
Hosfield, G. L.: see Wassimi, N. N. et al., 449
Hühn, M.: Theoretical studies on the necessary number of components in mixtures. 3. Number of components and risk considerations 211
Hulata, G.: see Wohlfarth, G. W. et al., 88

Ichikawa, H.; Hirai, A.; Katayama, T.: Genetic analyses of *Oryza* species by molecular markers for chloroplast genomes 353
Isleib, T. G.: see Wassimi, N. N. et al., 449

Jacobs, M.: see Negrutiu, I. et al., 279
Johnston, T. D.: see Paul, N. K. et al., 706
Jolly, M. S.: see Nagaraju, J., 269

Kahler, A. L.; Hallauer, A. R.; Gardner, C. O.: Allozyme polymorphisms within and among open-pollinated and adapted exotic populations of maize 592

Kahler, A. L.; Wehrhahn, C. F.: Associations between quantitative traits and enzyme loci in the F2 population of a maize hybrid 15
Karp, A.: see Fish, N., 405
Katayama, T.: see Ichikawa, H. et al., 353
Kavanagh, T. A.; Timmis, J. N.: Heterogeneity in cucumber ribosomal DNA 337
Kemble, R. J.; Barsby, T. L.; Wong, R. S. C.; Shepard, J. F.: Mitochondrial DNA rearrangements in somatic hybrids of *Solanum tuberosum* and *Solanum brevidens* 787
Kemp, R. A.; Kennedy, B. W.; Wilton, J. W.: The effect of positive assortative mating on genetic parameters in a simulated beef cattle population 76
Kennedy, B. W.: see Kemp, R. A. et al., 76
Knapp, S. J.: Confidence intervals for heritability for two-factor mating design single environment linear models 587
Končeková, Z.: see Baumgartner, J. et al., 264
Konzak, C. F.: see Mansur-Vergara, L. et al., 296
Kothari, S. L.; Monte, D. C.; Widholm, J. M.: Selection of *Daucus carota* somatic hybrids using drug resistance markers and characterization of their mitochondrial genomes 494
Krieg, F.: see Chourrout, D. et al., 193
Kurzok, H.-G.; Feierabend, J.: Genetic control of triosephosphate isomerase isoenzymes in wheat and rye 359
Kyo, M.: see Wei, Z. M. et al., 252

Ladizinsky, G.: see Milo, J. et al., 524
Larkin, P. J.: see Davies, P. A. et al., 644
Law, C. N.: see Mathias, R. J. et al., 70
Levin, D. A.: see Schlichting, C. D., 114
Levy, A.: see Milo, J. et al., 524
Linscombe, S. D.: see Smith, M. A. et al., 807
Lobkov, Yu. I.: see Ruvinsky, A. O. et al., 811
Ludlum-Simonette, R.: see Cappadocia, M. et al., 66

MacKown, C. T.: see Van Sanford, D. A., 158
Maliga, P.: see Svab, Z., 637
Mansur-Vergara, L.; Konzak, C. F.; Gerechter-Amitai, Z. K.; Grama, A.; Blum, A.: Quantitative variation in the kernel proteins among 841 accessions of *Triticum dicoccoides* estimated by SDS-PAGE 296
Manzocchi, L.; Tonelli, C.; Gavazzi, G.; Di Fonzo, N. D.; Soave, C.: Genetic relationship between *o6* and *pro-1* mutants in maize 778
Manzocchi, L.: see Torti, G. et al., 602
Mariani, A.: see Veronesi, F. et al., 37
Mathias, R. J.; Fukui, K.; Law, C. N.: Cytoplasmic effects on the tissue culture response of wheat (*Triticum aestivum*) callus 70
McCoy, T. J.; Rowe, D. E.: Single cross alfalfa (*Medicago sativa* L.) hybrids produced via 2n gametes and somatic chromosome doubling: experimental and theoretical comparisons 80
McMillin, D. E.; Allan, R. E.; Roberts, D. E.: Association of an isozyme locus and strawbreaker foot rot resistance derived from *Aegilops ventricosa* in wheat 743
Meinke, D. W.: see Baus, A. D. et al., 577
Melchinger, A. E.; Geiger, H. H.; Schnell, F. W.: Epistasis in maize (*Zea mays* L.). 2. Genetic effects in crosses among early flint and dent inbred lines determined by three methods 231
Melz, G.: see Schlegel, R. et al., 721
Mendez, E.: see Sanchez-Monge, R. et al., 108
Mettin, D.: see Schlegel, R. et al., 721
Metzlaff, M.; Troebner, W.; Baldauf, F.; Schlegel, R.; Cullum, J.: Wheat specific repetitive DNA sequences – construction and characterization of four different genomic clones 207
Meyer, M. M., Jr.: see Barwale, U. B. et al., 423
Miller, T. E.: see Ainsworth, C. C. et al., 219
Millet, E.: Genetic control of heading date and spikelet number in common wheat (*T. aestivum* L.) line 'Noa' 105
Milo, J.; Levy, A.; Ladizinsky, G.; Palevitch, D.: Phylogenetic studies in *Papaver* section *Oxytona:* cytogenetics of the species and interspecific hybrids 524
Missonier, C.: see Bourgin, J. P. et al., 11
Moav, R.: see Wohlfarth, G. W. et al., 88
Mohapatra, S. C.: see Venkatramaiah, A. et al., 129
Monte, D. C.: see Kothari, S. L. et al., 494
Mori, S.: see Hasegawa, H., 226
Moritz, R. F. A.: Estimating the genetic variance of group characters: social behaviour of honeybees (*Apis mellifera* L.) 513
Multani, D. S.: see Dhaliwal, H. S. et al., 548
Mwenya, W. N. M.; Gianola, D.; Grossman, M.: Effects of assortative mating for pupa weight on genetic parameters of unselected *Tribolium castaneum* 388

Nagaraju, J.; Jolly, M. S.: Interspecific hybrids of *Antheraea roylei* and *A. pernyi* – a cytogenetic reassessment 269
Naik, M. S.; Nicholas, D. J. D.: Carbon monoxide sensitivity of cytochrome oxidase in wheat leaves in relation to dwarfing genes (*Rht*) in wheat cultivars (Short Communication) 735
Namkoong, G.: see Gregorius, H.-R., 413
Navot, N.; Zamir, D.: Linkage relationships of 19 protein coding genes in watermelon 274
Negruk, V. I.; Eisner, G. I.; Redichkina, T. D.; Dumanskaya, N. N.; Cherny, D. I.; Alexandrov, A. A.; Shemyakin, M. F.; Butenko, R. G.: Diversity of *Vicia faba* circular mtDNA in whole plants and suspension cultures 541
Negrutiu, I.; De Brouwer, D.; Watts, J. W.; Sidorov, V. I.; Dirks, R.; Jacobs, M.: Fusion of plant protoplasts: a study using auxotrophic mutants of *Nicotiana plumbaginifolia*, Viviani 279
Nicholas, D. J. D.: see Naik, M. S., 735
Nienhuis, J.: see Helentjaris, T. et al., 761
Nordheim, E. V.: see O'Malley, D. M. et al., 530
Norell, L.; Eriksson, G.; Ekberg, I.; Dormling, I.: Inheritance of autumn frost hardiness in *Pinus sylvestris* L. seedings 440

O'Connell, M. A.; Hanson, M. R.: Regeneration of somatic hybrid plants formed between *Lycopersicon esculentum* and *Solanum rickii* 59
Oliver, J. L.: Isozyme gene expression in potato tumors incited by *Agrobacterium* 373
O'Malley, D. M.; Guries, R. P.; Nordheim, E. V.: Linkage analysis for 18 enzyme loci in *Pinus rigida* Mill. 530
Ottaviano, E.: see Sari Gorla, M. et al., 42

Palevitch, D.: see Milo, J. et al., 524
Pallotta, M. A.: see Davies, P. A. et al., 644
Panda, R. C.; Aniel Kumar, O.; Raja Rao, K. G.: The use of seed protein electrophoresis in the study of phylogenetic relationships in Chili pepper (*Capsicum* L.) 665
Pandey, K. K.: "Egg transformation" induced by irradiated pollen in *Nicotiana:* critical appraisal of Chyi and Sanford's observations 739
Pandey, K. K.: Reply 742
Paul, N. K.; Johnston, T. D.; Eagles, C. F.: Inheritance of S-methyl-L-cysteine sulphoxide and thiocyanate contents in forage rape (*Brassica napus* L.) 706
Pence, V. C.: see Caruso, J. L. et al., 240
Pijnacker, L. P.; Walch, K.; Ferwerda, M. A.: Behaviour of chromosomes in potato leaf tissue cultured in vitro as studied by BrdC-Giemsa labelling 833

Pirrie, A.; Power, J. B.: The production of fertile, triploid somatic hybrid plants (*Nicotiana glutinosa* (n) + *N. tabacum* (2n)) via gametic: somatic protoplast fusion 48
Polans, N. O.; Weeden, N. F.; Thompson, W. F.: Distribution, inheritance and linkage relationships of ribosomal DNA spacer length variants in pea 289
Powell, W.; Borrino, E. M.; Allison, M. J.; Griffiths, D. W.; Asher, M. J. C.; Dunwell, J. M.: Genetical analysis of microspore derived plants of barley (*Hordeum vulgare*) 619
Powell, W.; Caligari, P. D. S.; Dunwell, J. M.: Field performance of lines derived from haploid and diploid tissues of *Hordeum vulgare* 458
Power, J. B.: see Pirrie, A., 48
Pundir, R. P. S.; Singh, R. B.: Karyotypic analysis of *Cajanus, Atylosia,* and *Rhynchosia* species 307

Raja Rao, K. G.: see Panda, R. C. et al., 665
Randhawa, A. S.: see Dhaliwal, H. S. et al., 548
Rao, K. V.: see Suprasanna, P. et al., 120
Reddy, G. M.: see Suprasanna, P. et al., 120
Redichkina, T. D.: see Negruk, V. I. et al., 541
Renard, P.: see Chourrout, D. et al., 193
Riva, M. E.: see Robinson, A. S. et al., 455
Robacker, C. D.: see Gawel, N. J., 84
Roberts, D. E.: see McMillin, D. E. et al., 743
Robinson, A. S.; Riva, M. E.; Zapater, M.: Genetic sexing in the mediterranean fruit fly, *Ceratitis capitata,* using the alcohol dehydrogenase locus 455
Rogmann, P.: see Tudzynski, P. et al., 695
Romero Andreas, J.; Yandell, B. S.; Bliss, F. A.: Bean arcelin. 1. Inheritance of a novel seed protein of *Phaseolus vulgaris* L. and its effect on seed composition 123
Ross, H. A.: Estimation of mating system parameters in plant populations using marker loci with null alleles 322
Rowe, D. E.: see McCoy, T. J., 80
Ruvinsky, A. O.; Lobkov, Yu. I.; Belyaev, D. K.: Spontaneous and induced activation of genes affecting the phenotypic expression of glucose 6-phosphate dehydrogenase in *Daphnia pulex*. 3. Occurrence frequencies of the alternative electrophoretic variants of G6PD in a natural population 811
Ryan, S. A.: see Davies, P. A. et al., 644

Salamini, F.: see Torti, G. et al., 602
Sanchez-Monge, R.; Barber, D.; Mendez, E.; Garcia-Olmedo, F.; Salcedo, G.: Genes encoding α-amylase inhibitors are located in the short arms of chromosomes 3B, 3D and 6D of wheat (*Triticum aestivum* L.) 108
Salcedo, G.: see Sanchez-Monge, R. et al., 108
Sanford, J. C.: Rebuttal 741
Sari Gorla, M.; Frova, C.; Binelli, G.; Ottaviano, E.: The extent of gametophytic-sporophytic gene expression in maize 42
Schaefer, A.: see Helentjaris, T. et al., 761
Schieder, O.: see Steffen, A. et al., 135
Schlegel, R.; Melz, G.; Mettin, D.: Rye cytology, cytogenetics and genetics – Current status (Review) 721
Schlegel, R.: see Metzlaff, M. et al., 207
Schlichting, C. D.; Levin, D. A.: Effects of inbreeding on phenotypic plasticity in cultivated *Phlox* 114
Schnabelrauch, L.: see Clark, E. et al., 748
Schnell, F. W.: see Melchinger, A. E. et al., 231
Scholl, R. L.: see Wang, X.-M. et al., 328
Schröder, M.-B.: Ultrastructural studies on plastids of generative and vegetative cells in *Liliaceae*. 5. The behaviour of plastids during pollen development in *Chlorophytum comosum* (Thunb.) Jacques 840
Schwarz, O. J.: see Hickok, L. G., 302
Scowcroft, W. R.: see Davies, P. A. et al., 644
Shahin, E. A.; Sukhapinda, K.; Simpson, R. B.; Spivey, R.: Transformation of cultivated tomato by a binary vector in *Agrobacterium rhizogenes:* transgenic plants with normal phenotypes harbor binary vector T-DNA, but no Ri-plasmid T-DNA 770
Sharma, S. K.: see Dhaliwal, H. S. et al., 548
Shemyakin, M. F.: see Negruk, V. I. et al., 541
Shepard, J. F.: see Kemble, R. J. et al., 787
Sidorov, V. I.: see Negrutiu, I. et al., 279
Simpson, R. B.: see Shahin, E. A. et al., 770
Singh, A. K.: Utilization of wild relatives in the genetic improvement of *Arachis hypogaea* L. 7. Autotetraploid production and prospects in interspecific breeding 164
Singh, A. K.: Utilization of wild relatives in the genetic improvement of *Arachis hypogaea* L. 8. Synthetic amphidiploids and their importance in interspecific breeding 433
Singh, D. P.: see Verma, R. P. S., 737
Singh, G.; Bhullar, G. S.; Gill, K. S.: Genetic control of grain yield and its related traits in bread wheat 536
Singh, R. B.: see Pundir, R. P. S., 307
Singh, R. J.: Chromosomal variation in immature embryo derived calluses of barley (*Hordeum vulgare* L.) 710
Singh, V. P.: see Dahiya, B. N., 678
Sinha, R.: see Venkatramaiah, A. et al., 129
Sink, K. C.: see Clark, E. et al., 748
Slocum, M.: see Helentjaris, T. et al., 761
Smith, J. A.; Desborough, S. L.: An interpretation of genomic balance in seed formation in interspecific hybrids of *Solanum* 346
Smith, M. A.; Watson, C. E., Jr.; Linscombe, S. D.; Trevathan, L. E.: Selection for resistance to *Cochliobolus sativus* in tall fescue (*Festuca arundinacea* Schreb.) 807
Snider, J. A.: see Caruso, J. L. et al., 240
Soave, C.: see Manzocchi, L. et al., 778
Spivey, R.: see Shahin, E. A. et al., 770
Steffen, A.; Eriksson, T.; Schieder, O.: Shoot regeneration of mesophyll protoplasts transformed by *Agrobacterium tumefaciens*, not achievable with untransformed protoplasts 135
St. Martin, S. K.: Comparison of selection methods for improvement of the population hybrid 682
Strauss, S. H.; Conkle, M. T.: Segregation, linkage, and diversity of allozymes in knobcone pine 483
Strunnikov, V. A.: Nature of heterosis and combining ability in the silkworm 503
Stuber, C. W.: see Wendel, J. F. et al., 178
Sukhapinda, K.: see Shahin, E. A. et al., 770
Sun Yu-Kun: see Wu Ai-Zhen, 662
Suprasanna, P.; Rao, K. V.; Reddy, G. M.: Plantlet regeneration from glume calli of maize (*Zea mays* L.) 120
Suso, M. J.; Cubero, J. I.: Genetic changes under domestication in *Vicia faba* 364
Svab, Z.; Maliga, P.: *Nicotiana tabacum* mutants with chloroplast encoded streptomycin resistance and pigment deficiency 637

Tanksley, S. D.: see Bernatzky, R., 314
Thompson, R.: see Cameron, N. D., 466
Thompson, R. D.: see Bartels, D. et al., 845
Thompson, W. F.: see Polans, N. O. et al., 289
Timmis, J. N.: see Kavanagh, T. A., 337
Tonelli, C.: see Manzocchi, L. et al., 778
Torti, G.; Manzocchi, L.; Salamini, F.: Free and bound indoleacetic acid is low in the endosperm of the maize mutant *defective endosperm-B18* 602
Trevathan, L. E.: see Smith, M. A. et al., 807
Troebner, W.: see Metzlaff, M. et al., 207

Tudzynski, P.; Rogmann, P.; Geiger, H. H.: Molecular analysis of mitochondrial DNA from rye (*Secale cereale* L.) 695

Van Sanford, D. A.; MacKown, C. T.: Variation in nitrogen use efficiency among soft red winter wheat genotypes 158
Vardi, A.; Epstein, E.; Breiman, A.: Is the *Phytophthora citrophthora* culture filtrate a reliable tool for the in vitro selection of resistant *Citrus* variants? 569
Vardi, A.: see Green, R. M. et al., 170
Venkatramaiah, A.; Mohapatra, S. C.; Sinha, R.; Ayyagari, V.; Choudhuri, D.: Selection response for part period egg number and egg mass in chickens – a comparison 129
Verma, R. P. S.; Singh, D. P.: The allelic relationship of genes giving resistance to mungbean yellow mosaic virus in blackgram (Short Communication) 737
Veronesi, F.; Mariani, A.; Bingham, E. T.: Unreduced gametes in diploid *Medicago* and their importance in alfalfa breeding 37

Walch, K.: see Pijnacker, L. P. et al., 833
Wang, X.-M.; Scholl, R. L.; Feldmann, K. A.: Characterization of a chlorate-hypersensitive, high nitrate reductase *Arabidopsis thaliana* mutant 328
Wassimi, N. N.; Isleib, T. G.; Hosfield, G. L.: Fixed effect genetic analysis of a diallel cross in dry beans (*Phaseolus vulgaris* L.) 449
Watson, C. E., Jr.: see Smith, M. A. et al., 807
Watts, J. W.: see Negrutiu, I. et al., 279
Webb, K. J.: Transformation of forage legumes using *Agrobacterium tumefaciens* 53
Weeden, N. F.: see Polans, N. O. et al., 289
Wehrhahn, C. F.: see Kahler, A. L., 15
Wei, Z. M.; Kyo, M.; Harada, H.: Callus formation and plant regeneration through direct culture of isolated pollen of *Hordeum vulgare* cv. 'Sabarlis' 252
Wendel, J. F.; Stuber, C. W.; Edwards, M. D.; Goodman, M. M.: Duplicated chromosome segments in maize (*Zea mays* L.): further evidence from hexokinase isozymes 178
Widholm, J. M.: see Barwale, U. B. et al., 423
Widholm, J. M.: see Kothari, S. L. et al., 494
Wilton, J. W.: see Kemp, R. A. et al., 76
Wohlfarth, G. W.; Moav, R.; Hulata, G.: Genetic differences between the Chinese and European races of common carp. 5. Differential adaptation to manure and artificial feeds 88
Wong, R. S. C.: see Kemble, R. J. et al., 787
Wright, A. J.: Individual and group selection with competition 256
Wright, A. J.; Cockerham, C. C.: Covariances of relatives and selection response in generations of selfing from an outcrossed base population 689
Wright, S.: see Helentjaris, T. et al., 761
Wu Ai-Zhen; Sun Yu-Kun: Isolation and reconstitution of the RNA replicase of the cytoplasmic polyhedrosis virus of silkworm, *Bombyx mori* 662

Yaklich, R. W.: see Cregan, P. B., 782
Yandell, B. S.: see Romero Andreas, J. et al., 123
Yan Yongshan: Influence of both coculture and BrdU on NOR activity of mouse, rat and human cells 700

Zamir, D.: see Navot, N., 274
Zapater, M.: see Robinson, A. S. et al., 455
Zelenin, A. V.: see Badaeva, E. D. et al., 518

**Book reviews** 141, 142, 143, 144, 287, 288, 429, 430, 431, 432, 575, 576, 717, 718, 719, 720, 854

**Announcement** 576

Indexed in *Current Contents*

## Acknowledgements

The editors wish to thank the following external referees for their assistance in selection and evaluation of manuscripts submitted

T. Adams (Oregon)
S. Bernatsky (New York)
R. H. Busch (Minnesota)
M. Carlson (Canada)
W. M. Cheliak (Canada)
C. C. Chen (South Dakota)
W. A. Compton (Nebraska)
N. Cowen (Missouri)
J. Dale (UK)
C. D. Dybing (South Dakota)
N. Elliot (South Dakota)
D. A. Evans (New Jersey)
R. C. Frohberg (North Dakota)
Bikram S. Gill (Kansas)
J. G. Hawkes (UK)
E. L. Javier (Philippines)
K. R. Lamkey (Iowa)
I. K. Komarnitsky (USSR)
L. Marton (Hungary)
A. E. Melchinger (FRG)
R. H. Moll (North Carolina)
G. Negruk (USSR)
L. Pollak (Iowa)
W. Powell (UK)
H. Rees (UK)
C. M. Rick (California)
K. Ritland (Canada)
S. Saghai-Maroof (California)
D. V. Shaw (Alabama)
L. R. Shlumukov (USSR)
J. S. C. Smith (Iowa)
C. Strobeck (Canada)
T. Tanksley (New Mexico)

as well as the assistance of Mrs. Ann Jenks-Coupland and Mrs. J. Smits-Broekmans at the editorial office